


EC-T1204 SMD灯带规格书



应用环境:

Application Environment:

室内 Indoor

室外 Outdoor



基本参数Basic Specifications

色彩Color Range	W
光源Light Source	SMD W
寿命 Source Life	35,000h
材质Material	硅胶silicon
重量Weight	0.15kg/m
最大级联长度Max. length	10m

工作条件 Environmental Specifications

工作温度 Working Temperature	-20°C to 45°C
储存温度 Storage Temperature	-20°C to 50°C
防护等级 Protection Rating	IP66


电气参数 Electrical Specifications

工作电压 Working Voltage	DC24V
最大功率 Max. Power	10W

光学参数 Optical Specifications

光束角 Beam Angle	≥120°
----------------	-------

配光曲线 Light Intensity Distribution



可提供型号 Order Info

产品型号	工作电压	功率	光源	控制协议	灰度级别	材质	能效值	灯珠品牌
EC-T1204	DC24V	10W	120 颗 W	ON/OFF	/	硅胶	80lm/w	三安

产品配件: Product Parts

--



出线堵头
End cap with hole




尾塞
End cap no hole



安装扣件
Plastic clip

安装示意图: Installation Diagram

第一步：用螺丝把卡扣固定在安装位置



第二步：把灯带压入左图卡扣中，安装后效果如右图所示

